

Explore by Document Identifier started at: Wed Nov 26, 2003 at 11:52 AM

Explored by Document Identifier in CAPLUS.

CAPLUS Answers
1 for JP 07231784

Copyrights:

Copyright 2003 ACS (The UK patent material in this product/service is UK Crown copyright and is made available with permission. (C) Crown Copyright. The French (FR) patent material in this product/service is made available from Institut National de la Propriete Industrielle (INPI.) for database CAPLUS

Copyright 2003 ACS (Some records contain information from GenBank(R). See also: Benson D.A., Karsch-Mizrachi I., Lipman D.J., Ostell J., Rapp B.A., Wheeler D.L. Genbank. Nucl. Acids Res. 28(1):15-18 (2000). Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.) for database REGISTRY

Copyright 2003 ACS (Some records from 1974 to 1991 are derived from the ZIC/VINITI data file provided by InfoChem. Some records are produced using some INPI data from the period prior to 1986.) for database CASREACT

Copyright 2003 ACS for databases CHEMCATS and CHEMLIST

Bibliographic Information

RNA-cleaving compositions containing ribozymes and cell surface receptors-targeting agents.

Yamada, Shuhei; Kyozaawa, Kyomichi. (Daiichi Kagaku Yakuhin Kk, Japan; Yamada Shuhei; Kyozaawa Kyomichi). Jpn. Kokai Tokkyo Koho (1995), 12 pp. CODEN: JKXXAF JP 07231784 A2 19950905 Heisei. Patent written in Japanese. Application: JP 94-25110 19940223. CAN 124:49498 AN 1995:907912 CAPLUS (Copyright 2003 ACS on SciFinder (R))

Patent Family Information

<u>Patent No.</u>	<u>Kind</u>	<u>Date</u>	<u>Application No.</u>	<u>Date</u>
JP 07231784	A2	19950905	JP 1994-25110	19940223

Priority Application

JP 1994-25110	19940223
---------------	----------

Abstract

The compn. contg. (1) a ribozyme conjugated on both ends with 2 nucleotide fragments complementary to the RNA targets and (2) a (glyco)peptide ligand that has receptors on the target cell membrane surface, which (glyco)peptide is conjugated with a polycation via a linker. A ribozyme capable of cleaving hepatitis c virus (HCV) RNA, which ribozyme is flanked with 2 oligonucleotides targeting the HCV core region is provided. An asialoorosomucoid conjugated with poly-(L)-lysine via a disulfide group is also provided for liver cells-specific introduction of the ribozyme through asialoglycoprotein receptors. Asialoglycoprotein receptors-mediated endocytosis of the ribozymes is demonstrated using human liver cell line HepG2. Cleavage of HCV RNA in human liver tumor cells is also shown.